*Journal of Neuroscience Methods*, 35 (1991) 283–284
Elsevier



# Author Index (Vol. 35)

Ali, S.S., see Von Langsdorff, D., (35) 3
Andiné, P., Thordstein, M., Kjellmer, I., Nordborg, C., Thiringer, K., Wennberg, E. and Hagberg, H.
Evaluation of brain damage in a rat model of neonatal hypoxic-ischemia, (35) 253
Ault, B., see Caviedes, P., (35) 57

Basse-Tomusk, A., see Wiedemann, D.J., (35) 9
Boon, M.E., see Wouterlood, F.G., (35) 133
Brunner, M. and Koch, U.T.
A precision multichannel cuff electrode optimized by simulation and experiment, (35) 93
Bunney, B.S., see Shi, W.-X., (35) 235
Bunney, B.S., see Shi, W.-X., (35) 89
Burke, R.E., Cadet, J.L., Kent, J.D., Karanas, A.L. and Jackson-Lewis, V.
An assessment of the validity of densitometric measures of striatal tyrosine hydroxylase-positive fibers: relationship to apomorphine-induced rotations in 6-hydroxydopamine lesioned rats, (35) 63
Büschges, A., see Koch, U.T., (35) 261

Cadet, J.L., see Burke, R.E., (35) 63
Carlson, S., Raitta, C., Kommonen, B. and Voipio, J.
A DC electroretinography method for the recording of human a-, b- and c-waves, (35) 107
Caviedes, P., Ault, B. and Rapoport, S.I.
Replating improves whole cell voltage clamp recording of human fetal dorsal root ganglion neurons, (35) 57
Chang, H.T., Kuo, H., Whittaker, J.A. and Cooper, N.G.F.
Light and electron microscopic analysis of projection neurons retrogradely labeled with Fluoro-Gold: notes on the application of antibodies to Fluoro-Gold, (35) 31
Coggeshall, R.E., La Forte, R. and Klein, C.M.
Calibration of methods for determining numbers of dorsal root ganglion cells, (35) 187
Cooper, N.G.F., see Chang, H.T., (35) 31
Cornelissen, F., Nuyens, R., Nuydens, R. and Geerts, H.
Automatic quantification of fast axonal transport in neuronal cell cultures, (35) 79
Cuello, A.C., see Funnell, W.R.J., (35) 147

Eckmiller, R., see Ott, D., (35) 229

Freire, M.
HRP-filling of neurons and axonal arbors in fixed brain slabs, (35) 267

Funnell, W.R.J., Maysinger, D. and Cuello, A.C.
Three-dimensional reconstruction and quantitative evaluation of devascularizing cortical lesions in the rat, (35) 147

Gallyas, F., Lohner, H. and Wolff, J.R.
An argyrophil-III method for the selective demonstration of mitochondria in aldehyde-fixed rat brain, (35) 223
Geerts, H., see Cornelissen, F., (35) 79
Gehle, F., see Ott, D., (35) 229

Haase, P. and Payne, J.N.
Comparison of the efficiencies of true blue and diamidino yellow as retrograde tracers in the peripheral motor system, (35) 175
Hagberg, H., see Andiné, P., (35) 253
Harry, J.D., see Rosen, G.D., (35) 115

Jaarsma, D. and Korf, J.
A novel non-perfusion Timm method for human brain tissue, (35) 125
Jackson-Lewis, V., see Burke, R.E., (35) 63
Jansen, R.F.
The reconstruction of individual spike trains from extracellular multineuron recordings using a neural network emulation program, (35) 203

Karanas, A.L., see Burke, R.E., (35) 63
Kent, J.D., see Burke, R.E., (35) 63
King, A.E., S.W.N, , Thompson, and Woolf, C.J.
Characterization of the cutaneous input to the ventral horn in vitro using the isolated spinal cord–hind limb preparation, (35) 39
Kitao, Y., see Tokuno, H., (35) 75
Kjellmer, I., see Andiné, P., (35) 253
Klein, C.M., see Coggeshall, R.E., (35) 187
Koch, U.T. and Büschges, A.
A high speed recoil-free piezo-drive for cell impalement, (35) 261
Koch, U.T., see Brunner, M., (35) 93
Kok, L.P., see Wouterlood, F.G., (35) 133
Kommonen, B., see Carlson, S., (35) 107
Korf, J., see Jaarsma, D., (35) 125
Kudo, M., see Tokuno, H., (35) 75
Kuo, H., see Chang, H.T., (35) 31

La Forte, R., see Coggeshall, R.E., (35) 187
Lohner, H., see Gallyas, F., (35) 223

Martin, G., see Olivéras, J.-L., (35) 19
Maysinger, D., see Funnell, W.R.J., (35) 147
Merchenthaler, I., see Setalo, G., (35) 169
Montagne, J., see Olivéras, J.-L., (35) 19

Nakamura, Y., see Tokuno, H., (35) 75
Nordborg, C., see Andiné, P., (35) 253
Nürnberger, F., see Von Langsdorff, D., (35) 3
Nuydens, R., see Cornelissen, F., (35) 79
Nuyens, R., see Cornelissen, F., (35) 79

Olivéras, J.-L., Martin, G., Vos, B. and Montagne, J.
A single-unit recording system, contact thermal probe and electromechanical stimulator for studying cellular mechanisms related to nociception at brain stem level of awake, freely moving rats, (35) 19
Ott, D., Gehle, F. and Eckmiller, R.
Video-oculographic measurement of 3-dimensional eye rotations, (35) 229

Pavlides, C., see Stromquist, B.R., (35) 215
Payne, J.N., see Haase, P., (35) 175

Raitta, C., see Carlson, S., (35) 107
Rapoport, S.I., see Caviedes, P., (35) 57
Ratzlaff, E.H. and Siegel, R.M.
A workstation interface for measuring interspike intervals, (35) 195
Rebec, G.V., see Wiedemann, D.J., (35) 9
Rosen, G.D. and Harry, J.D.
Brain volume estimation from serial section measurements: a comparison of methodologies, (35) 115

Schlieckert, M., see Turner, D.A., (35) 241
Schmid, K.
Animal ventilator controlled by central respiratory phases, (35) 277
Schofield, B.R.
Uptake of *Phaseolus vulgaris* leucoagglutinin (PHA-L) by axons of passage, (35) 47
Setalo, G. and Merchenthaler, I.
Translingual approach of the basal surface of the diencephalon of the rat and retrograde labeling from the median eminence, (35) 169
Shi, W.-X. and Bunney, B.S.
A simple and effective method for preventing the formation of salt bridges between barrels of a multibarrel microiontophoresis electrode, (35) 89
Shi, W.-X. and Bunney, B.S.
A small volume chamber for electrical recording from submerged brain slices and a pulse-free medium supply system using a peristalic pump, (35) 235
Siegel, R.M., see Ratzlaff, E.H., (35) 195
Stromquist, B.R., Pavlides, C. and Zelano, J.A.
On-line acquisition, analysis and presentation of neurophysiological data based on a personal microcomputer system, (35) 215
S.W.N, , see King, A.E., (35) 39

Thiringer, K., see Andiné, P., (35) 253
Thompson, , see King, A.E., (35) 39
Thordstein, M., see Andiné, P., (35) 253
Tokuno, H., Nakamura, Y., Kudo, M. and Kitao, Y.
Effect of Triton X-100 in the Golgi-Kopsch method, (35) 75
Tourtellotte, W.G.
A versatile dual axis programmable stepping motor controller for a personal computer: a specific application and tutorial for implementing a computer-controlled light microscope, (35) 157
Turner, D.A. and Schlieckert, M.
Data acquisition and analysis system for intracellular neuronal signals, (35) 241

Voipio, J., see Carlson, S., (35) 107
Von Langsdorff, D., Ali, S.S. and Nürnberger, F.
An improved silver staining technique as an alternative nuclear or combined nuclear nerve-fiber impregnation for comparative light-, secondary and backscattered electron scanning microscopy, (35) 3
Vos, B., see Olivéras, J.-L., (35) 19

Wennberg, E., see Andiné, P., (35) 253
Whittaker, J.A., see Chang, H.T., (35) 31
Wiedemann, D.J., Basse-Tomusk, A., Wilson, R.L., Rebec, G.V. and Wightman, R.M.
Interference by DOPAC and ascorbate during attempts to measure drug-induced changes in neostriatal dopamine with Nafion-coated, carbon-fiber electrodes, (35) 9
Wightman, R.M., see Wiedemann, D.J., (35) 9
Wilson, R.L., see Wiedemann, D.J., (35) 9
Wolff, J.R., see Gallyas, F., (35) 223
Woolf, C.J., see King, A.E., (35) 39
Wouterlood, F.G., Boon, M.E. and Kok, L.P.
Immunocytochemistry on free-floating sections of rat brain using microwave irradiation during the incubation in the primary antiserum: light and electron microscopy, (35) 133

Zelano, J.A., see Stromquist, B.R., (35) 215

*Journal of Neuroscience Methods*, 35 (1990) 285–286
Elsevier



# Subject Index (Vol. 35)

Action potential, (35) 57
Action potentials, (35) 195
Amphetamine, (35) 9
Analog modeling, (35) 93
Analog to digital conversion, (35) 241
Anterograde, (35) 47
Anti-Fluoro-Gold, (35) 31
Array electrode, (35) 93
Artificial ventilation, (35) 277
Ascorbate, (35) 9
Asphyxia, (35) 253
Axonal transport, (35) 79
Axons, (35) 47

Basal diencephalon, (35) 169
Brain slab, (35) 267
Brain slice, (35) 235
Brain volume, (35) 115

Cavalieri's rule, (35) 115
Cell impalement, (35) 261
Central nervous system, (35) 223
Cholinergic neurons, (35) 147
Computer microscope, (35) 157
Computer modeling, (35) 93
Computer pantograph, (35) 157
Computer reconstruction, (35) 267
Computer software, (35) 79
Contact thermal probe, (35) 19
Cortex, (35) 147
Cortical lesion, (35) 147
Cutaneous mechanoreceptive fields, (35) 39
C-wave, (35) 107
Cycle-triggered averaging, (35) 277

DC electroretinography, (35) 107
Densitometry, (35) 63
Diamidino yellow, (35) 175
Digital image analysis, (35) 229
3-dimensional, (35) 229
DOPAC, (35) 9
Dopamine, (35) 9
Dorsal root ganglion, (35) 57
Dorsal root ganglion cells, (35) 187

Electrical properties, (35) 57
Electrode reliability, (35) 93
Electromechanical stimulator, (35) 19
Electronic circuit, (35) 277
Electron microscopy, (35) 3
Electrophysiological recording, (35) 195
Electrophysiology, (35) 215; (35) 235
Electroretinography, (35) 107
EPSPs, (35) 215
Experimental optimization, (35) 93
Extracellular electrode, (35) 93
Extracellular recording, (35) 93
Eye rotation, (35) 229

Field potentials, (35) 215
Fixed material, (35) 267
Fluorescence, (35) 175
Fluoro-Gold, (35) 31
Freely moving rat, (35) 19

GABA, (35) 133
GBR 12909, (35) 9
Golgi method, (35) 75

Haloperidol, (35) 9
Hippocampal neurons, (35) 79
Hippocampus, (35) 125; (35) 215
Histochemistry, (35) 125
Histology, (35) 223
HRP-filling in vitro, (35) 267
Human, (35) 125
Hypoxia, (35) 253

Image analysis, (35) 63
Immunocytochemistry, (35) 133
Intracellular recording techniques, (35) 261
In vitro, (35) 39
In Vivo voltammetry, (35) 9
Ischemia, (35) 253

Laboratory data acquisition, (35) 241
Laboratory data presentation graphics, (35) 241
Lectin, (35) 47

Measurement technique, (35) 229
Microcomputer, (35) 215
Microiontophoresis, (35) 89
Microwaves, (35) 133
Mitochondria, (35) 223
Motoneurones, (35) 39
Motor neurons, (35) 175

Multibarrel electrode, (35) 89
Multi-unit spike train, (35) 203

Nafion, (35) 9
Neonatal, (35) 253
Neural network, (35) 203
Neurites, (35) 57
Neuroanatomical tracing technique, (35) 31
Neuron counting, (35) 187
Neurones, (35) 57
Neurons, (35) 195
Nociception, (35) 19
Nucleus basalis magnocellularis, (35) 147

On-line experiment analysis, (35) 241

Paraffin coating, (35) 89
Patch clamp, (35) 57
PC, (35) 215
Personal computer, (35) 157
Phrenic nerve activity, (35) 277
Physiological recording and analysis, (35) 241
Piezoelectric drive, (35) 261
Pigment epithelium, (35) 107
Post-stimulus histograms, (35) 215
Pulse-free pump, (35) 235

Quantification, (35) 79
Quantitative immunocytochemistry, (35) 63

Rat, (35) 125; (35) 187
Recoil compensation, (35) 261
Recording chamber, (35) 235
Retrograde, (35) 47
Retrograde axonal transport, (35) 175
Retrograde tracing, (35) 169
Rotational behavior, (35) 63
Rotation analysis, (35) 229

Salt bridge, (35) 89
Serial sections, (35) 115
Silver staining, (35) 223
Silver staining technique, (35) 3
Simpson's rule, (35) 115
Single unit, (35) 195
Single unit recording, (35) 89
Single unit recording system, (35) 19
Somatosensory evoked potentials, (35) 253
Spike form, (35) 93
Spike train, (35) 195
Spike train reconstruction, (35) 203
Spinal cord, (35) 39
Stepping motor, (35) 157
Striatum, (35) 63
Surface triangulation, (35) 147
Surgical approach, (35) 169

Telencephalon, (35) 125
Three-dimensional reconstruction, (35) 147
Timm staining, (35) 125
Tissue culture, (35) 57
Trapezoid, (35) 115
Triton X-100, (35) 75
True blue, (35) 175
Tyrosine hydroxylase, (35) 63

Ultrastructure, (35) 133
Uptake, (35) 47

Vagal respiratory reflex, (35) 277
Ventral horn, (35) 39
Video microscopy, (35) 79
Video-oculography, (35) 229

Wheat germ agglutinin (WGA), (35) 169

*x-y* plotting, (35) 157

$Zn^{2+}$, (35) 125